

Introducing Graco's NEW Xtreme Torque[™] Lineup of Professional Electric Airless Sprayers EUROPE, MIDDLE EAST & AFRICA



PROVEN QUALITY. LEADING TECHNOLOGY.



INTRODUCING

Xtreme

TOROUE

BREAKTHROUGH **TECHNOLOGY** PATENT PENDING

UP TO **10X** QUIETER WITH THE **NEW SOUND OF QUALITY™**

UNRIVALED FINISH QUALITY WITH THE WORLD'S STEADIEST RUNNING PRESSURE

SELECTABLE PERFORMANCE MODES[™]

LONGEST LIFE BEFORE SERVICE

FASTEST SERVICE ON JOBSITE

PUMP WEAR PREVENTION

FASTEST CLEANING **USING LESS FLUID**

LOWEST COST OF OWNERSHIP

EXPERIENCE AIRLESS LIKE NEVER BEFORE

XTREME TORQUE MOTOR

Experience a new level of performance with the first motor ever designed specifically for airless spray and made by Graco.

THE SOUND OF QUALITY

Advanced design eliminates multistage gear trains and reduces motor speed by 90% and noise by up to 10X.

RAPID-RESPONSE™ CONTROL

Delivers the world's steadiest running pressure. Dial-in 1 bar increments with the widest performance range in the industry (3-227 bar).

SELECTABLE PERFORMANCE WITH THE PUSH OF A BUTTON

Low Pressure Mode (L): Optimized performance range to eliminate overspray and improve finish.

High Pressure Mode (H): Offers maximum performance for extended hose lengths and difficult to atomize materials.



Ultra 490 XT Stand 19D525





ENDURANCE VORTEX® PISTON PUMPS WITH PROCONNECT°

Auto-rotating vortex rod balances load and prolongs pump life—proven ProConnect replacement system eliminates downtime.

LED DIGITAL DISPLAY

Features a bright, easy-to-read LED display. See the performance from across the room!

TURBOCLEAN[™]

Efficiently cleans 3X faster using half the fluid, significantly reducing recycling costs.

WATCHDOGTM PUMP PROTECTION

Intelligent auto-shutoff feature activates when the sprayer runs out of paint, safeguarding the pump and maintaining consistent performance.

FEATURING BREAKTHROUGH XTREME TORQUE MOTOR PATENT PENDING

1ST MOTOR EVER DESIGNED BY GRACO **SPECIFICALLY FOR AIRLESS SPRAY**

15X MORE TORQUE THAN TRADITIONAL MOTORS

8X MORE MAGNETS DELIVERS RAPID ACCELERATION AND SMOOTH PERFORMANCE

90% LOWER RUNNING SPEEDS

MONITORS PRESSURE 60X PER MOTOR REVOLUTION

UP TO **10X** QUIETER OPERATION DELIVERS THE NEW SOUND OF QUALITY™



FEATURING

THE WORLD'S WIDEST & STEADIEST RUNNING PRESSURE PATENT PENDING

EXPERIENCE **NEXT-GENERATION** PERFORMANCE

SPRAY MORE JOBS WITH THE WORLD'S STEADIEST PRESSURE CONTROL

- Rapid-Response[™] Control eliminates pressure fluctuations by continuously monitoring pressure - 60X per motor revolution
- Instantly adjusts motor speed to eliminate 75% of pressure fluctuations for a Perfect Airless Finish[™]

WIDEST PERFORMANCE RANGE — FROM 3 TO 227 BAR

- Offers the largest operating pressure range providing full control and maximum productivity
- Flexible for more applications --- coatings, hose lengths and tip sizes to meet every application

PUSH-BUTTON PERFORMANCE

- Two selectable performance modes offer unique performance levels to boost efficiency on every job
- · Features a bright easy-to-read LED Display see performance from across the room

MAXIMIZE UPTIME

- TurboClean[™] cleans the pump 3X faster with 1/2 the fluid
- WatchDog[™] Pump Protection automatically shuts down the sprayer when out of paint, preventing premature wear



graco.com/UltraXT

BRING ON SAVINGS WITH SELECTABLE PERFORMANCE

LOW PRESSURE **PERFORMANCE MODE (L)**

3 - 140 BAR

 Maximizes savings, ideal for most projects with superior finish

• Optimized performance range to eliminate overspray and improve finish with RAC X[™] LP SwitchTips[™]

 Ajustable in 1 bar increments achieve extreme control down to 3 bar







- · Ideal for difficult to atomize materials, extended hose lengths or during cold running conditions
- Use this mode for the best finish with any RAC® SwitchTip

Ultra 695 XT Standard Series 19F727 (CEE) 19F728 (UK)

FEATURING

UNRIVALED PUMP DURABILITY & PERFORMANCE PATENTED

SPRAYS 3X MORE LITERS THAN THE **NEAREST COMPETITOR**

- Endurance piston pumps are made using the highest grade materials to deliver the industry's longest life
- Proven proprietary V-MAX Blue[™] packings individually supported on chrome piston rod to deliver reliability you can count on
- Included on all 490 XT 495 XT and Standard Series XT models

ENDURANCE VORTEX TECHNOLOGY ON ALL MODELS

- Delivers the longest pump life by automatically rotating piston rod to extend pump life
- Virtually eliminates side loading

MORE PAINT APPLIED PER PISTON STROKE

- Up to 80% longer piston stroke than competitive models enhances flow and boosts performance
- Extended piston stroke design increases wear surface and improves hard part life

Onen Door &

Remove Pump

ELIMINATE DOWNTIME WITH PROCONNECT JOBSITE SERVICEABILITY





Remove Hose

& Suction Tube



Eliminate Downtime with ProConnect On-the-Job Pump Replacement -now included on ALL XT Models



VORTEX TECHNOLOGY Rotating rod for extended life

360° WEAR SURFACE

• Even loading delivers the longest pump life

HELICAL PISTON ROD DESIGN

- · Delivers high-velocity flow to rotate pump rod as you spray
- · The piston rod slowly turns — balancing wear and extending life

QUIKACCESS[™] INTAKE

- · Easy debris removal with knock-off foot valve
- · Longer spray time with reversible inlet seat

Loosen the Clamping Nut



PROCONTRACTOR

UPGRADE TO PROCONTRACTOR[™] FOR 6X LONGER PUMP LIFE

- · Proprietary piston and sleeve delivers 6X more liters pumped between repacks
- · Included on all ProContractor Series models





490 XT | 495 XT

INCREASED PERFORMANCE — UNMATCHED RELIABILITY

Midsize electric airless sprayers make it easier to get more work done in a day with increased flow and production rates.





NEW

SOUND OF QUALITY

Xtreme Torque Motor Technology

- Up to 10X Quieter
- Experience a new level of performance with the first motor ever designed specifically for airless spray

NEW

WORLD'S STEADIEST RUNNING PRESSURE

Rapid-Response Control with LED Digital Display

- Instantly adjusts motor speed to eliminate 75% of pressure fluctuations for a Perfect Airless Finish[™]
- Features a bright, easy-to-read LED display— see the performance from across the room!

NEW

PUSH BUTTON PERFORMANCE

Selectable Performance Modes

- Two Selectable Performance Modes offer unique performance levels to easily boost efficiency on every job
- Expand capability and range of applications with a single sprayer — like having two sprayers in one!

NEW

LONGEST LIFE BEFORE SERVICE

Endurance[™] Vortex[®] Pump

STANDARD

- 3X Longer life than the closest competitor
- Automatically rotates rod while pumping delivering longest life

NEW

FASTEST SERVICE ON THE JOB

Ultra 695 XT

Standard Series

19F727 (CEE) 19F728 (CEE)

ProConnect Replacement System

- Fast and easy on-the-job replacement system
- One part solution to keep spraying

NEW INCREASED PERFORMANCE

MIDSIZE ELECTRIC	MAX TIP SIZE	MAX LPM	STAND	HI-BOY
Ultra 490 XT	.025"	2.6	19D525 (CEE)	19D526 (CEE)
Ultra 495 XT	.027"	3.0	19D527 (CEE) 19D529 (UK)	19D528 (CEE) 19D530 (UK)

READY TO SPRAY WITH:

Contractor PC[™] Gun RAC X LP517 SwitchTip[™] and Guard BlueMax[™] II 1/4" x 15 m Airless Hose

READY TO SPRAY WITH:

Contractor PC[™] Gun RAC X LP517 SwitchTip[™] and Guard BlueMax[™] II 1/4" x 15 m Airless Hose





695 XT | 795 XT | 1095 XT

EVERYDAY RELIABILITY FOR LARGER JOBS

Larger painting jobs demand the proven quality and performance of Graco's Standard Series large electric sprayers to deliver a job well done, every time.

NEW

MAXIMIZE UPTIME

TurboClean[™] Cleaning System & WatchDog[™] Pump Protection

- TurboClean delivers high-velocity fluid flow to clean the pump 3X faster using ½ the fluid
- WatchDog prevents pump damage if the material supply is too low by automatically shutting off the pump



 Large inside-out filtering process ensures a quality finish

NEW INCREASED PERFORMANCE

STANDARD LARGE ELECTRICS	MAX TIP SIZE	MAX LPM	HI-BOY
Ultra 695 XT Standard	.031"	4.0	19F727 (CEE) 19F728 (UK)
Ultra 795 XT Standard	.033"	4.5	19F731 (CEE) 19F732 (UK)
Ultra 1095 XT Standard	.035"	4.9	19F735 (CEE)

ULTRA Z **PROCONTRACTOR SERIES** LARGE ELECTRIC SPRAYERS



INCLUDES ALL STANDARD SERIES FEATURES

PLUS:

NEW SUPERIOR PUMP LIFE

Endurance Vortex MaxLife and MaxLife Extreme Piston Pumps

- Innovative MaxLife Technology last 6x longer between repacks -included on Ultra 695 XT and 795 XT ProContractor models
- MaxLife Extreme Technology extends rod life 3X longer delivering the industry's lower cost of ownership - included on Ultra1095 XT ProContractor model

NEW EASY HOSE MANAGEMENT

QuikReel[™] Hose Management System

- Deploy and rewind up to 90 meter of hose in seconds without twisting, kinking or coiling
- Use only the hose you need the rest stays on the reel

BREAKTHROUGH PRODUCTIVITY AND NEW FINISH QUALITY WITH LED SMARTDISPLAY XT™

Contractor PowerShot XT[™] Connection Ready

- · Ready to Connect to the Contractor PowerShot XT out of the box — PowerShot gun sold separately
- · Achieve the best finish in the industry by remotely controlling pressure from the gun and eliminating pressure surge with SmartStall"

BlueLink[™] Jobsite Management System BLUE+LINK

• Know your job's progress, locate your sprayers and maximize uptime with this innovative technology that is free to use

NEW NEVER HAVE A FLAT AGAIN!

- Flat Proof Tires
 - Tires can't be punctured by nails, screws or other sharp debris

DURABLE FILTRATION

Crushproof Inlet Strainer

· Stands up to harsh impacts to maintain flow through filter

NEW INCREASED PERFORMANCE

PROCONTRACTOR LARGE ELECTRICS	MAX TIP SIZE	MAX LPM	PART #	PISTON PUMP TECHNOLOGY
Ultra 695 XT ProContractor	.031"	4.0	19F729 (CEE) 19F730 (UK) 20B951 (MULTI)	Endurance Vortex MaxLife
Ultra 795 XT ProContractor	.033"	4.5	19F733 (CEE) 19F734 (UK) 20B953 (MULTI)	Endurance Vortex MaxLife
Ultra 1095 XT ProContractor	.035"	4.9	19F736 (CEE) 20B955 (MULTI)	Endurance Vortex MaxLife Extreme

XT ACCESSORIES:

Upgrade your sprayer to maximize your productivity!

PART #	
25V145	Modular QuikReel Kit for
20B529	XT Airless Hopper Kit for
20B198	Flat Proof Tires for 695 X
17E687	Flat Proof Tires for 1095
15V573	Crushproof Inlet Strainer
18H305 (CEE) 18H303 (UK)	Contractor PowerShot X
20B432	SmartDisplay XT • Connect Contractor Po unlock a new level of p • Upgrade any XT Spraye
287253	Tool Box

MAXIMIZE PERFORMANCE WITH THE



DY TO SPRAY WITH: actor PC™ Gun ⟨LP517 SwitchTip™ and Guard Max™ II 1/4" x 15 m Airless Hose



Maximize your performance and get to the next job faster by customizing your sprayer with proven Graco accessories.

DESCRIPTION

r 695 XT, 795 XT & 1095 XT

r 490 XT & 495 XT

XT & 795 XT - order 2

5 XT - order 2

er for 695 XT, 795 XT & 1095 XT

KT Gun for all Ultra XT models

owerShot XT to any Ultra XT Sprayer to performance for all Ultra XT models yer with Bluelink job-site management system







REMOTELY ADJUSTS PRESSURE AT THE GUN TO UNLOCK

• Electrically connects gun-to-sprayer, eliminating material blast on each trigger pull

Contractor PowerShot XT 18H305 (CEE) 18H303 (UK)





INTRODUCING THE ULTRA XT LINEUP

	Ultra 490 XII	Ultra 495 XI	Ultra 695 🔭	Ultra 795 🕅	Ultra 1095 XI		
MAXIMUM TIP SIZE	INCREASED TIP SUPPORT 0.025" Max Tip	INCREASED TIP SUPPORT 0.027" Max Tip	0.031" Max Tip	0.033" Max Tip	0.035" Max Tip		
MAXIMUM BAR	227	227	227	227	227		
MAXIMUM LPM	INCREASED FLOW 2.6	INCREASED FLOW 3.0	INCREASED FLOW 4.0	INCREASED FLOW 4.5	INCREASED FLOW 4.9		
XTREME TORQUE MOTOR (HP)	✓ (1.3)	✓(1.7)	✓ (2.1)	✓ (2.3)	✓ (2.7)		
WEIGHT KG	14 (Stand)	14 (Stand)	42 (Standard)	43 (Standard)	51 (Standard)		
GUN SUPPORT: 1 GUNS 2 GUNS 3 GUNS	0.025" _	0.027" _	0.031" 0.023"	0.033" 0.025" 0.019"	0.037" 0.029" 0.023"		

		MIDCIZE				CTANDADD		DROCONTRACTOR		STANDARD		DROCONTRACTOR						
SERIES TYPE		MIDSIZE			STANDARD		PROCONTRACTOR		STAI	IDAKD	PROCONTRACTOR		STANDARD		PROCO	ONTRACTOR		
MODEL	Cart Design – Part Number	Stand Hi-Boy	19D525 (CEE) 19D526 (CEE)	Stand Hi-Boy	19D527 (CEE) 19D529 (UK) 19D528 (CEE) 19D530 (UK)	Hi-Boy	19F727 (CEE) 19F728 (UK)	Hi-Boy	19F729 (CEE) 19F730 (UK) 20B951 (MULTI)	Hi-Boy	19F731 (CEE) 19F732 (UK)	Hi-Boy	19F733 (CEE) 19F734 (UK) 20B953 (MULTI)	Hi-Boy	19F735 (CEE)	Hi-Boy	19F736 (CEE) 20B955 (MULTI)	
-	NEW PISTON PUMP	-	nce Vortex	Enduranc		Endurance Vortex		Endurance Vortex		Endurance Vortex		Endurance Vortex		Endurance Vortex		Endur	ance Vortex	
	NEW VORTEX PISTON ROD	Chr	romex	Chro	Chromex		Chromex		MaxLife		Chromex		MaxLife		Chromex		.ife Extreme	
PUM	SLEEVE	-		-		Hardened SST		MaxLife		Hardened SST		MaxLife		Hardened SST		MaxLife		
	NEW PROCONNECT Replacement system	✓		\checkmark		✓		✓		\checkmark		✓		✓		✓		
	NEW RAPID-RESPONSE PRESSURE CONTROL	, , , , , , , , , , , , , , , , , , ,	✓	√	*	✓		\checkmark		\checkmark		✓			1	✓		
	NEW SELECTABLE PERFORMANCE MODES	\checkmark		√		✓		\checkmark		\checkmark		\checkmark		\checkmark		✓		
	NEW LED DISPLAY	, n	\checkmark	\checkmark		✓		✓		✓		\checkmark		\checkmark		\checkmark		
	NEW TURBOCLEAN	, , , , , , , , , , , , , , , , , , ,	\checkmark	\checkmark		✓		✓		\checkmark		\checkmark		\checkmark		✓		
	NEW WATCHDOG PUMP PROTECTION		\checkmark	√		✓		\checkmark		\checkmark		\checkmark		\checkmark		✓		
	EASY OUT FILTER (60 MESH)	, , , , , , , , , , , , , , , , , , ,	\checkmark	√			\checkmark			\checkmark		\checkmark			\checkmark		\checkmark	
RES	NEW QUIKREEL HOSE REEL					Optional		\checkmark		Optional			\checkmark	Optional		✓		
FEATURES	NEW SMARTDISPLAY XT	Op	tional	Optic	onal	Optional		\checkmark		Optional		✓		Optional		✓		
Ë	PROGUARD™		\checkmark	√	\checkmark		\checkmark		✓		✓		✓		✓		✓	
	FLAT PROOF TIRES					Op	tional		/	Optional		\checkmark		Optional		\checkmark		
	CRUSHPROOF INLET STRAINER					Op	otional		/	Optional		✓		Optional		\checkmark		
	TOOL BOX	Optional ((Hi-Boy only)	Optional (Hi-Boy only)		Optional		\checkmark		Optional		✓		Optional		\checkmark		
	CONTRACTOR PC GUN	,	✓	\checkmark		✓		\checkmark		\checkmark		\checkmark		\checkmark		\checkmark		
	SWITCHTIP	RAC X	(LP 517	RAC X L	P 517	RAC X LP 517		RAC X LP 517		RAC X LP 517		RAC X LP 517		RAC X LP 517		RAC X LP 517		
	HOSE	1/4 in x 15 m Blue	e Max II Airless Hose	1/4 in x 15 m Blue	Max II Airless Hose	1/4 in x 15 m Blu	e Max II Airless Hose	1/4 in x 15 m Blu	Blue Max II Airless Hose 1/4 in x 15 m Blue Max II Airless Hose		e Max II Airless Hose	1/4 in x 15 m Blue Max II Airless Hose		1/4 in x 15 m Blue Max II Airless Hose		ose 1/4 in x 15 m Blue Max II Airles		
AR	REPLACEMENT PUMP	19	D873	19D8	873	2001548	/ 2001549*	2001549		2001573 / 2001574*		2001574		2001550 / 2001551*		2001551		
WEAR	REPAIR KIT	18	B260	18B2	260	248212	/ 17H838**	171	841**	248212 / 17H838**		17	7H841** 248213 / 17H839**		/ 17H839**	17K162 / 17H843**		





*Endurance Vortex MaxLife Pumps compatible with ALL XT Standard Sprayers (695 XT, 795 XT & 1095 XT) **QuickPak Repair Kits — Repack your pump in minutes with modular pre-oiled cartridge packings.



OUR BRAND PROMISE TO YOU

Since 1926, innovation, quality and A+ Service have been at the centre of Graco.

Experience Innovation

Our focus on innovation results in products and equipment that lead the industry with technologically-advanced features, pioneering design, high performance and unparalleled reliability. In short, innovation is how you get better products!

Building Quality

You're investing in high-quality products built to last for years of reliable service. Moreover, we partner with our customers to better understand how you're deploying our products in the field, then use your experiences to improve performance and durability.



A+ service, every time

You'll see A+ Service in action when you contact any of our support services options no matter where you are in the world. We'll listen to your situation and work methodically to resolve it as quickly as we can. We are guided by a mindset of integrity and a customer service view centred on collaboration and relationships, not transactions.



We're here to answer questions and help address your needs: WWW.graco.com/contact

Graco is certified ISO 9001.

©2024 Graco Distribution BV 3J0616ENEU-A 06/24. Printed in Europe

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. For more information on Graco's intellectual property, see www.graco.com/patent or www.graco.com/trademarks.